

THE FREEWAT PLATFORM FOR PLANNING AND MANAGEMENT OF CONJUNCTIVE USE OF GROUND- AND SURFACE-WATER

Rudy ROSSETTO ¹, Giovanna DE FILIPPIS ¹, Iacopo BORSI ², Laura FOGLIA ³, Massimiliano CANNATA ⁴, Rotman CRIOLLO ⁵, Enric VASQUEZ-SUÑE ⁵

¹ Institute of Life Sciences, Scuola Superiore Sant'Anna, Pisa, Italy, r.rossetto@santannapisa.it, g.defilippis@santannapisa.it

² TEA SISTEMI S.p.A., Pisa, Italy, iacopo.borsi@tea-group.com

Integrating advanced simulation techniques and data analysis tools can represent a valuable contribution for sustainable management of conjunctive use of ground- and surface-water. As such, developing innovative software tools to address water management issues is of paramount importance, especially for the application of EU and other water-related Directives (Rossetto et al., 2015).

Within the EU HORIZON 2020 FREEWAT (FREE and open source software tools for WATer resource management – www.freewat.eu) a free and open source platform, QGIS-integrated, for planning and management of ground- and surface-water resources was developed. The FREEWAT platform, a large QGIS plugin, allows simulating the hydrologic cycle, coupling the power of GIS geo-processing and post-processing tools in spatial data analysis with that of process-based simulation models. This results in a modeling environment where large spatial datasets can be stored, managed and visualized and where several simulation codes (mainly belonging to the USGS MODFLOW family) are integrated to simulate multiple hydrological, hydrochemical or economic-social processes.

The FREEWAT platform includes so far six modules:

- AkvaGIS allows to produce plots and thematic maps for the analysis of hydrochemical and hydrogeological data;
- Observation Analysis Tool facilitates the import, analysis and visualization of timeseries data to support model construction and calibration;
- groundwater flow dynamics in the saturated and unsaturated zones may be simulated using MODFLOW-2005 (Harbaugh, 2005);
- solute transport in the saturated zone can be simulated using MT3DMS (Zheng & Wang, 1999);
- simulation of viscosity- and density-dependent flows is accomplished through SEAWAT (Langevin et al., 2007);
- management of conjunctive use of ground- and surface-water in rural environments is accomplished by the Farm Process module embedded in MODFLOW-OWHM (Hanson et al., 2014);





³ Institut für Angewandte Geowissenschaften, Technische Universität Darmstadt, Darmstadt, Germany, laura.foglia74@gmail.com

⁴ Institute of Earth Sciences, Scuola Universitaria Professionale della Svizzera Italiana, Canobbio, Switzerland, massimiliano.cannata@supsi.ch

⁵ Instituto de Diagnóstico Ambiental y Estudios del Agua, Consejo Superior de Investigaciones Científicas, Barcelona, Spain, rotmancriollo@gmail.com, enric.vazquez@idaea.csic.es



3rd National Meeting on Hydrogeology Cagliari, 14-16 June 2017

• UCODE_2014 (Poeter et al., 2014) is implemented to perform sensitivity analysis and parameter estimation to improve the model fit.

The FREEWAT platform is now applied to 14 selected case studies aiming at addressing specific water management issues. Such case studies may be divided in two clusters: i) 9 case studies (8 in EU Countries and one in Switzerland) are specifically referred to meet the requirements of the Water Framework Directive, Ground Water Directive and other water-related Directives for water resource management; ii) 5 case studies (2 in EU Countries, one in Ukraine, one in Turkey and one in Africa) are devoted to address water management issues mostly related to the rural environments.

In the framework of these case studies, relevant stakeholders are involved in the technical activities in order to enlarge and present to a wider audience the benefits of ICT tools in water planning and management.

Acknowledgements

This paper is presented within the framework of the project FREEWAT, which has received funding from the European Union's HORIZON 2020 research and innovation programme under Grant Agreement n. 642224.

References

Hanson, R.T., Boyce, S.E., Schmid, W., Hughes, J.D., Mehl, S.M., Leake, S.A., Maddock, T., Niswonger, R.G. (2014) - One-Water Hydrologic Flow Model (MODFLOW-OWHM), U.S. Geological Survey, Techniques and Methods 6-A51, 2014 134 p.

Harbaugh A.W. (2005) - MODFLOW-2005, The U.S. Geological Survey Modular Ground-Water Model - the Ground-Water Flow Process. U.S. Geological Survey, Techniques and Methods 6–A16, 253 p.

Langevin, C.D., Thorne, D.T. Jr., Dausman, A.M., Sukop, M.C., Guo, W. (2007) - SEAWAT Version 4: A Computer Program for Simulation of Multi-Species Solute and Heat Transport. U.S. Geological Survey Techniques and Methods 6-A22, 39 pp.

Poeter, E.P., Hill, M.C., Lu, D., Tiedeman, C.R., Mehl, S. (2014) - UCODE_2014, with new capabilities to define parameters unique to predictions, calculate weights using simulated values, estimate parameters with SVD, evaluate uncertainty with MCMC, and more. Integrated Groundwater Modeling Center Report Number GWMI 2014-02.

Rossetto, R., Borsi, I., Foglia, L. (2015) - FREEWAT: FREE and open source software tools for WATer resource management, Rendiconti Online Società Geologica Italiana, 2015, 35, 252-255.

Zheng, C., Wang, P.P. (1999) - MT3DMS, A modular three-dimensional multi-species transport model for simulation of advection, dispersion and chemical reactions of contaminants in groundwater systems. U.S. Army Engineer Research and Development Center Contract Report SERDP-99-1, Vicksburg, MS, 202 pp.





